

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

Page: 1

Compilation date: 05/12/2011

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

Synonyms: RLB/1, RLB/S4, RLT/1, RLT/S4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PAINT PRODUCT CONTAINING MIXTURE OF SOLVENTS

1.3. Details of the supplier of the safety data sheet

Company name: U-POL US Inc.

630 Selvaggio Drive Suite 300 Nazareth PA 18064 USA Tel: 1-800-340-7824 Fax: 1-800-787-5150 Email: technical:u-pol.com

1.4. Emergency telephone number

Emergency tel: 1-800-424-9300 (CHEMTREC)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: F: R11; Xi: R36; -: R66; -: R67

Most important adverse effects: Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or

cracking. Vapours may cause drowsiness and dizziness.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Highly flammable.

Irritant.



Risk phrases: R11: Highly flammable.

R36: Irritating to eyes.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

Page: 2

Safety phrases: S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe vapour/spray

S36/37: Wear suitable protective clothing and gloves.

S42: During fumigation / spraying wear suitable respiratory equipment.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ACETONE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-662-2	67-64-1	F: R11; Xi: R36; -: R66; -: R67	-	10-30%
XYLENE				
215-535-7	1330-20-7	-: R10; Xn: R20/21; Xi: R38	-	10-30%
N-BUTYL ACE	TATE			
204-658-1	123-86-4	-: R10; -: R66; -: R67	-	1-10%
2-METHOXY-	1-METHYLETH	LACETATE		
203-603-9	108-65-6	-: R10	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Dry chemical powder. Alcohol or polymer foam. Do not use water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

Page: 4

Workplace exp	nocuro limite:	D	espirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	50 ppm	100 ppm	1 mg/m3	ISTIMI: STEE
	00 ppm		T mg/mo	
Hazardous ing	jredients:			
ACETONE				
Workplace exp	oosure limits:	R	espirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1210 mg/m3	3620 mg/m3	-	
XYLENE	g,e	g,		
UK	220 mg/m3	441 mg/m3	_	
N-BUTYL ACE		TT IIIg/III3	_	
	724 mg/m3	966 mg/m3	_	
_	- 1	•	-	
	-METHYLETHYL ACETA			
UK	274 mg/m3	548 mg/m3	-	
2. Exposure co	ontrols			
Engineerin	g measures: Ensure the	e is sufficient ventilation of	the area	
-	-	d airline breathing apparate		
	d protection: Nitrile glove			
	e protection: Face-shield			
-	-	lothing with elasticated cuf	fs and closed neck.	
	cal and chemical prope	-		
-	•••			
1. Information	on basic physical and ch	nemical properties		
	State: Liquid			
	Colours Disals as Da	1		
	Colour: Black or Be	ige		
	Odour: Aromatic	ige		
Evap		iĝe		
Evap	Odour: Aromatic			
-	Odour: Aromatic oration rate: Moderate			
Solubi	Odour: Aromatic oration rate: Moderate Oxidising: Non-oxidisin	ng (by EC criteria)		
Solubi	Odour: Aromatic oration rate: Moderate Oxidising: Non-oxidisin lity in water: Insoluble	ng (by EC criteria)		
Solubi Als	Odour: Aromatic oration rate: Moderate Oxidising: Non-oxidisin lity in water: Insoluble o soluble in: Most organi	ng (by EC criteria)		
Solubi Als Kinemat	Odour: Aromatic oration rate: Moderate Oxidising: Non-oxidisin lity in water: Insoluble o soluble in: Most organi Viscosity: Viscous	ng (by EC criteria) ic solvents.	-lammability limits %: lower:	1.1
Solubi Als Kinemat	Odour:Aromaticoration rate:ModerateOxidising:Non-oxidisinIty in water:Insolubleo soluble in:Most organiViscosity:Viscoustic viscosity:85 poise	ng (by EC criteria) ic solvents.	Flammability limits %: lower: Flash point°C:	

VOC g/l: 307 less water and exempt compounds, 246 Total VOC)

UP0820, UP0821, UP0822, UP0823 RAPTOR LINER

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Volatile. Heavier than water.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Incineration on land.

Recovery operations: Use principally as a fuel or other means to generate energy.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Marine pollutant: No

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT RELATED MATERIAL

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

UP0820,UP0821,UP0822,UP0823 RAPTOR LINER

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	FOR PROFESSIONAL USE ONLY. Read full instructions before use.
	IMPORTANT: This product contains hazardous materials and therefore appropriate
	personal protective equipment should always be used.
	Please refer to the label and consult the material safety data sheet for full handling
	instructions and personal protection information. These are available via your local
	stockist or via the U-POL website at WWW.U-POL.COM.
	U-POL disclaim any liability where the user does not wear the recommended personal
	protective equipment.
Phrases used in s.2 and 3:	R10: Flammable.
	R11: Highly flammable.
	R20/21: Harmful by inhalation and in contact with skin.
	R36: Irritating to eyes.
	R38: Irritating to skin.
	R66: Repeated exposure may cause skin dryness or cracking.
	R67: Vapours may cause drowsiness and dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. Addition of reducers, hardeners and other additives
	over and above U-POL's recommendations for use, may substantially alter the
	composition and hazards of the product. Since conditions of use are outside our control,
	this company shall not be held liable for any damage resulting from handling or from
	contact with the above product.